



TROJAN CRATES
LIMITED

Boxing Clever Since 1979



PELI™ PROTECTOR CASES
SPECIFICATIONS

PELI™ PROTECTOR CASES
SPECIFICATIONS


The original range of Peli™ cases - used and trusted by the the UK Military, NATO and countless other professionals from a wide range of fields, thanks to their peerless lifetime guarantee and their crushproof, waterproof and dustproof protection.

Lifetime Guarantee!



The promise that made Peli™ famous... You break it. They replace it, forever.

Case	Wheeled Case	Internal Dimensions (mm)							Weight W/Foam (kg)	Colours	Divider Set Option	Lid Organiser Option	Panel Frame Option	IP Rating	Stanag/Defstan 81-41	Case
		Base Length A	Base Width B	Base Depth C	Total Depth	Lid Length D	Lid Width E	Lid Depth F								
1120		188	125	65	76	184	121	11	0.56			✓	IP 67	✓	1120	
1150		215	150	76	94	211	147	18	0.90			✓	IP 67	✓	1150	
1170		270	156	55	82	271	157	27	0.95				IP 67		1170	
1200		241	185	75	105	241	184	30	1.30				IP 67	✓	1200	
1300		240	185	125	153	236	183	28	1.60				IP 67	✓	1300	
1400		306	234	100	130	306	234	30	2.00				IP 67	✓	1400	
1430		360	162	245	295	360	161	50	2.95			✓	IP 67	✓	1430	
1440	✓	456	228	358	408	455	228	50	7.48			✓	IP 67	✓	1440	
1450		380	266	108	153	375	262	45	2.90			✓	IP 67	✓	1450	
1460		471	252	153	278	471	252	125	4.90				IP 67		1460	
1470		408	278	60	98	406	280	38	2.50				IP 57		1470	
1490		462	298	68	110	459	300	42	2.95			✓	IP 57	✓	1490	
1495		492	342	68	110	492	344	42	3.80			✓	IP 67	✓	1495	
1500		435	292	110	155	434	291	45	3.20			✓	IP 67	✓	1500	
1510	✓	514	288	146	191	515	290	45	6.17			✓	IP 67	✓	1510	
1520		455	325	125	170	450	324	45	4.24			✓	IP 67	✓	1520	
1550		482	368	150	195	476	363	45	5.40				IP 67	✓	1550	
1560	✓	516	390	178	228	517	390	50	9.07			✓	IP 67	✓	1560	
1600		556	428	158	204	556	428	46	6.40			✓	IP 67	✓	1600	
1610	✓	562	431	216	268	565	433	52	10.20			✓	IP 67	✓	1610	
1620	✓	558	430	268	320	562	434	52	11.00			✓	IP 67	✓	1620	
1630	✓	730	554	310	392	730	554	82	16.33			✓	IP 67	✓	1630	
1640	✓	632	632	304	364	632	630	60	17.24			✓	IP 67	✓	1640	
1650	✓	740	460	220	265	740	460	45	12.73			✓	IP 67	✓	1650	
1660	✓	740	522	358	446	738	524	88	19.10			✓	IP 67	✓	1660	
1670	✓	713	419	188	233	713	419	46	11.79						1670	
1690	✓	784	660	312	394	785	660	82	19.50			✓	IP 67	✓	1690	
1700	✓	910	352	90	134	905	350	44	7.70				IP 67	✓	1700	
1720	✓	1065	344	90	134	1065	344	44	8.60					✓	1720	
1730	✓	882	628	250	310	882	628	60	17.60				IP 67		1730	
1740	✓	1059	345	240	302	1059	345	62	12.25				IP 66		1740	
1750	✓	1285	344	90	134	1285	344	44	11.60				IP 67	✓	1750	
1770	✓	1398	407	170	210	1398	406	40	16.33					✓	1770	
1780	✓	1058	558	185	385	1056	558	200	22.23					✓	1780	
0340	✓	457	460	345	450	456	459	105	13.50			✓	IP 67	✓	0340	
0350	optional extra	507	510	378	498	507	510	120	14.52			✓	IP 67	✓	0350	
0370	optional extra	610	610	480	605	610	610	125	18.60			✓	IP 67	✓	0370	
0500	optional extra	950	532	585	655	950	530	70	26.58			✓			0500	
0550	optional extra	1208	611	368	449	1208	611	81	43.09			pallet riser option			0550	



Internal dimensions shown are the maximum measurement, not taking account of protrusions and draft angles.

Draft angles will reduce the length and width dimension depending on the case model.

CERTIFICATION

Peli™ Cases have undergone strict tests for water and dust ingress protection (IP rating). The Stanag 4260/Defstan 81.41 is a certification recognised by both the UK Military and NATO.

PELI™ STORM CASES Specifications, Features and Options

Model	Internal Dimensions Total (mm)	Lid/Base Depth (mm)	External Dimensions (mm)	Weight with foam (kg)	Colours	Padded Dividers	Base Bezel Kit	Lid Bezel Kit	Lid Organiser	Foam Sets	Telescopic Handle	Wheels	Lid Stays
iM2050	241 x 190 x 108	38/70	300 x 249 x 119	1.36	● ● ●	○	○			P			○
iM2075	241 x 190 x 184	38/146	300 x 249 x 196	1.68	● ● ●	○	○			P			○
iM2100	330 x 234 x 152	51/101	361 x 289 x 165	2.22	● ● ●	○	○			P			○
iM2200	381 x 267 x 152	51/101	411 x 322 x 168	2.77	● ● ●	○	○	○		P			○
iM2300	432 x 297 x 157	51/106	462 x 340 x 170	3.22	● ● ●	○	○	○	○	P			○
iM2306	432 x 160 x 157	51/106	462 x 213 x 170	2.13	● ● ●	○	○	○		P			○
iM2370	462 x 307 x 132	43/89	508 x 373 x 147	3.27	● ● ●	○			○	P			○
iM2370 CC1	Includes laptop tray in base, lid organiser & shoulder strap		508 x 373 x 147	3.50	● ● ●				S				○
iM2400	457 x 330 x 170	51/119	487 x 386 x 185	3.54	● ● ●	○	○	○	○	P			○
iM2435	444 x 165 x 394	51/343	473 x 235 x 419	5.06	● ● ●	○			○	P	S	S	○
iM2450	457 x 330 x 213	51/162	487 x 386 x 229	4.04	● ● ●	○	○	○	○	P			○
iM2500	520 x 292 x 183	51/132	551 x 358 x 226	6.21	● ● ●	○	○	○	○	P	S	S	○
iM2600	508 x 355 x 196	51/145	538 x 406 x 211	5.26	● ● ●	○	○	○	○	P			○
iM2620	508 x 355 x 254	51/203	538 x 406 x 269	6.58	● ● ●	○	○	○	○	P	S	S	○
iM2700	559 x 432 x 203	51/152	625 x 500 x 218	6.53	● ● ●	○	○	○	○	P			○
iM2720	559 x 432 x 254	51/203	625 x 500 x 297	9.98	● ● ●	○	○	○	○	P	S	S	○
iM2750	559 x 432 x 322	51/271	625 x 500 x 366	10.61	● ● ●	○	○	○	○	P	S	S	○
iM2875	571 x 536 x 289	51/238	632 x 602 x 333	11.16	● ● ●	○	○	○	○	P	S	S	○
iM2950	736 x 457 x 267	51/216	795 x 518 x 310	13.02	● ● ●	○	○	○	○	P	S	S	○
iM2975	736 x 457 x 350	51/299	795 x 518 x 394	13.38	● ● ●	○	○	○	○	P	S	S	○
iM3075	757 x 528 x 452	102/350	845 x 620 x 490	20.41	● ● ●	○	○		○	P	S	S	○
iM3100	927 x 355 x 152	51/101	1011 x 419 x 170	8.98	● ● ●					SD		S	○
iM3200	1117 x 355 x 152	51/101	1198 x 419 x 170	9.57	● ● ●					SD		S	○
iM3220	1117 x 355 x 216	51/165	1198 x 419 x 234	11.25	● ● ●					SD		S	○
iM3300	1282 x 355 x 152	51/101	1366 x 419 x 170	10.43	● ● ●					SD		S	○
iM3410	1384 x 254 x 152	51/102	1466 x 323 x 169	8.80	● ● ●					SD		S	○

○ = Optional S = Standard SD = Solid P = PICK N PLUCK™